

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Laundry Special Clean**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use
Uses advised against Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

PVA Hygiene Ltd
Havyat Road
BS40 5PA Wroughton
United Kingdom

Telephone: +44(0)1934-862859
Telefax: +44(0)1934-863443
e-mail: sales@pva-hygiene.co.uk

1.4 Emergency telephone number

Emergency information service +44(0)1934-862859
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS) (medical professionals only)	0344-8920111
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.14	oxidising solid	2	Ox. Sol. 2	H272
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

- pictograms

GHS03, GHS05,
GHS07, GHS08



- hazard statements

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H373 May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).

- precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

Tetrasodium ethylenediaminetetraacetate, Disodium carbonate, compound with hydrogen peroxide (2:3), Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS No 15630-89-4 EC No 239-707-6 REACH Reg. No 01- 2119457268 -30-xxxx	50 - < 8 0	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318			Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 7.5 % ≤ C < 25 %	







Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Tetrasodium ethylenediaminetetraacetate	CAS No 64-02-8 EC No 200-573-9 Index No 607-428-00-2 REACH Reg. No 01- 2119486762 -27-xxxx	10 – < 3 0	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	  			
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	CAS No 85586-07-8 EC No 287-809-4 REACH Reg. No 01- 2119489463 -28-xxxx	5 – < 10	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412	 		Eye Dam. 1; H318: C ≥ 20 % Eye Irrit. 2; H319: 10 % ≤ C < 20 %	
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	EC No 932-051-8 REACH Reg. No 01- 2119565112 -48-xxxx	1 – < 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412				

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Skin irritation. Production of tissue damage in the eye. Harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the anti poison control centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist; Foam; Dry extinguishing powder; Carbon dioxide (CO₂); Sand; Foam; Co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential. Oxidising property.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Control of dust.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains. Take up mechanically.

Advices on how to clean up a spill

Take up mechanically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Never add water to this product. Ground/bond container and receiving equipment.

- specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- handling of incompatible substances or mixtures

Do not mix with alkali.

- keep away from

Organic absorbing material, Pulp/paper, Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- explosive atmospheres

Removal of dust deposits.

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Keep valves and fittings free from oil and grease.

- incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Moisture.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- ventilation requirements

Use local and general ventilation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
GB	dust		i	WEL		10			EH40/2005
GB	dust		r	WEL		4			EH40/2005

Notation

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	0.6 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	1.2 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	DNEL	285 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	DNEL	4,060 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	DNEL	85 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	DNEL	2,440 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	DNEL	24 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	85 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	1.5 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	42.5 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	0.425 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	PNEC	0.035 mg/l	aquatic organisms	freshwater	short-term (single instance)
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	PNEC	0.035 mg/l	aquatic organisms	marine water	short-term (single instance)
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	PNEC	16.24 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	2.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	0.22 mg/l	aquatic organisms	marine water	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	43 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	0.72 mg/kg	terrestrial organisms	soil	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	0.131 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	0.013 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	0.036 mg/l	aquatic organisms	water	intermittent release
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	1.35 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	4.61 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	0.461 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	PNEC	0.846 mg/kg	terrestrial organisms	soil	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	0.268 mg/l	aquatic organisms	freshwater	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	0.027 mg/l	aquatic organisms	marine water	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	5.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	8.1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	8.1 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	35 mg/kg	terrestrial organisms	soil	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340).

- hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, Nitrile rubber

- material thickness

≥ 0,4 mm

- breakthrough times of the glove material

>480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (powder)
Colour	colourless - white
Odour	characteristic

Other safety parameters

pH (value)	0.5 (acid)
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapour pressure	not determined
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	oxidiser

9.2 Other information

Of no significance.

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Oxidising property.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames. No smoking. Moisture. Heat.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Acids. Oxidisers. Combustible materials.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	oral	LD50	1,034 mg/kg	rat
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	dermal	LD50	>2,000 mg/kg	rabbit
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	oral	LD50	<2,000 mg/kg	rat
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	dermal	LD50	>2,000 mg/kg	rat
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		oral	LD50	2,240 mg/kg	rat
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	respiratory tract	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	LC50	70.7 mg/l	fish	48 h
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	EC50	4.9 mg/l	aquatic invertebrates	48 h
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	LC50	3.6 mg/l	fish	96 h
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	EC50	4.7 mg/l	aquatic invertebrates	48 h
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	ErC50	>20 mg/l	algae	72 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		EC50	8.8 mg/l	aquatic invertebrates	48 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		LC50	3.94 mg/l	aquatic invertebrates	96 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		ErC50	72 mg/l	algae	72 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	EC50	135 mg/l	microorganisms	3 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		EC50	8.8 mg/l	aquatic invertebrates	24 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		LC50	1.67 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

SECTION 14: Transport information

14.1 UN number	3378
14.2 UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
14.3 Transport hazard class(es)	
Class	5.1 (oxidizing substances)
14.4 Packing group	II (substance presenting medium danger)
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	
	No data available.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3378
Proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
Class	5.1
Classification code	O2
Packing group	II
Danger label(s)	5.1



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Y

International Maritime Dangerous Goods Code (IMDG)

UN number	3378
Proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
Class	5.1
Marine pollutant	-
Packing group	II
Danger label(s)	5.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12



Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-Q
Stowage category	A
Segregation group	16 - Peroxides

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3378
Proper shipping name	Sodium carbonate peroxyhydrate
Class	5.1
Packing group	II
Danger label(s)	5.1



Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Laundry Special Clean

Version number: 1.0

Date of compilation: 2017-10-12

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.